

PINNACLE

Water Treatment

9100 Professional Water Treatment System

When water quality matters, Pinnacle residential water softeners and filtration systems deliver. Featuring Pentair's patented Fleck technology and backed by superior after-sales support, Pinnacle systems are designed with Canadian families in mind.

Enhance the quality of your water with the Fleck 9100 Twin Alternating Water Softener.

- Silky soft skin & hair after showering
- Clothes are brighter, softer & last longer
- Glasses & dishware are spot free
- Use 50% less detergent, fabric softeners, soap, shampoo & personal moisturizers
- Add years of life to water heaters, dishwashers & washing machines

Watertreatment solutions engineered for your unique water needs.



 **PENTAIR**
FLECK®



Fleck 9100 Light Commercial/Residential Twin Tank Valve

FEATURES

- Twin Tank Technology uses 100% capacity before switching and maximizes salt and water savings
- 24/7 softened water, always one tank in service even as it switches
- Regenerates with soft water and keeps system clean for optimum operating efficiency and minimum maintenance
- Innovative second tank quick connection
- Perfect for light commercial/heavy residential systems



SYSTEM INCLUDES

- Control valve featuring 9100SXT format
- 3/4" turbine water meter
- Poly bypass
- High-quality poly-glass media vessel with 1" ABS internal distribution
- Brine tank c/w salt shelf and brine safety float assembly
- **High purity, 10% premium grade cation exchange resin or Purolite SSTC-6000**

SPECIFICATIONS

Model Number	Resin (CuFt)	Tank Sizes		Unit Cap		Flow Rates		BKW (GPM)	Salt Req. (lbs.)	Weight (lbs.)
		Resin Tank	Brine Tank	Min	Max	Service	Peak		Min	
24KX9100SXT	0.75	8" x 44"	14" x 34"	19K	24K	4	6	1.5	7.5	150
30KX9100SXT	1.0	9" x 48"	14" x 34"	24K	30K	5	8	2.0	10	175
45KX9100SXT	1.5	10" x 54"	14" x 34"	36K	45K	7.5	12	2.4	15	230
60KX9100SXT	2	12" x 48"	18" x 40"	48K	60K	10	16	3	20	300
24KSST9100SXT	0.75	8" x 44"	14" x 34"	18K	24K	4	6	1.5	4.5	150
30KSST9100SXT	1.0	9" x 48"	14" x 34"	22.5K	30K	5	8	2.0	6	175
45KSST9100SXT	1.5	10" x 54"	14" x 34"	33.7K	45K	7.5	12	2.4	9	230
60KSST9100SXT	2	12" x 48"	14" x 34"	45K	60K	10	16	3	12	300

Capacities are based on resin manufacturer's data • Units are set to the factory maximum salt setting • Use minimum capacity when sizing • Flow rates are in U.S. Gallons/minute • Sizes and space requirements are in

SUMMIT
WATER



www.summitwater.ca



sales@summitwater.ca



519-843-4232



Summit Water

inches.